



NG LINE
LINE TO

269'

73'

Assessor Map 2
Parcel 83.1

Proposed 1,500 Gallon Septic Tank
EXISTING CESSPOOL
TO BE ABANDONED AND FILLED WITH GRAVEL

Proposed Full Basement
proposed addition 3 Bedroom
Total CRAWL SPACE

200' WATER BODY SET BACK

top of bluff

East Chop Drive

Assessor Map 2
Parcel 83

Assessor Map 2
Parcel 5

TOWN WATER LINE IN EAST CHOP DRIVE HAS NOT BEEN LOCATED

Proposed Gravel Leaching Bed 448 Sq. Ft.

NOTE: THIS SYSTEM WILL BE STAKED BY A SURVEYOR IN THE FIELD.

EXISTING LEACHING PIT

West Avenue

- To avoid compaction, no machinery to be used for any other purpose.
1. This plan is to be used only for the purpose of construction and Local Board of Health Requirements.
 2. All construction and components shall be in accordance with the design of the structures.
 3. This design does not warrant any portion of the structures.
 4. No garbage grinder is to be used.
 5. Any portion of the structures shall be constructed in accordance with the design of the structures.
 6. Observations shall be made at liquid level.
 7. All necessary permits shall be obtained.

Note

Test Hole #2
July 6, 2001
Elev = 41.3

0"-6"	A	Sandy
6"-18"	B	Lo
18"-45"	B	Lo
45"-70"	C1	Lo
70"-84"	C1	Lo

JOHN LOLLER
WITNESS